

GEUTEBRÜCK

G-SIM

Software Version 9.4.2

Release Notes

Table of contents

Release Notes 3

System Specifications 4

G-Core / G-SIM Matrix – Version Recommendation..... 7

G-SIM 9.4.2

Software	Type	Short Description	Detailed Description
Bugfix	OpCon	Non working drag&drop with process data	An issue with the process data search was fixed, which led to a non working drag&drop function.
Bugfix	OpCon	Non working canceling of process data search	An issue with the process data search was fixed, which led to a non working cancel action.
Bugfix	OpCon	Missing map image in templates	An issue with templates was fixed that caused map images to not be displayed in templates that only allow maps.
Bugfix	OpCon	Incomplete alarm with zoomed map	An issue with the alarms was fixed, which led to the issue that alarms could be no be completed if a map was zoomed in.
Bugfix	OpCon	Inconsistent restrictions	A problem with the restrictions was fixed, which led to incorrect display of alarms.
Bugfix	OpCon	Loop in process data	An issue related to the process data was fixed, which led to a reoccurring loop if it is deleted beforehand.
Bugfix	OpCon	Not working template definition	An issue related to template definitions was fixed, which led to the display of cameras on map only templates.
Bugfix	OpCon/ReCon	Issue with Alarm Groups	An issue related to alarm groups was fixed, which led to incorrectly shown loops if previously an OpCon or ReCon was switched to a ReCon or OpCon.
Bugfix	ReCon	Playmodes in ReCon	An issue related to the ReCon was fixed, which led to the display of working playmodes inside the viewer.
Bugfix	Global	Synchronization problems in different time zones	An issue was fixed that caused synchronization problems in Global with servers in different time zones.
Bugfix	ManCon	Missing export of custom buttons	A problem with the setup saving was fixed, which led to the missing export of custom buttons.
Bugfix	ManCon	Missing media source validation	An issue with the ManCon validations was fixed, which led to a missing validation after a media source was deleted.
Bugfix	ManCon	OSD settings could not be saved	An issue related to the OSD console settings was fixed, which prevents the setup from saving after a change of the OSD of a console.
Bugfix	MapObject	Not working blocking filter after failover	An issue related to the blocking filter was fixed, which led to non-working blocking filters after a NVR failover scenario.

Note:

For larger projects, the general conditions under which the system is operated must be analysed individually. For this, contact Geutebrück GmbH directly so that recommendations / specifications can be made.

The following tables show the recommended minimum requirements for servers and clients of your system. Due to the wide range of possible applications and use cases, additional factors may have to be taken into account that influence the system requirements. You will find information on this in the general recommendations. If the factors mentioned there apply to your system, please contact Geutebrück GmbH to validate your system requirements.

G-SIM Server Minimum Requirements

		Number Recorder		Number OpCons		Number Cameras		Cluster Installation	Global System
		<5	>5	<5	>5	<100	>100		
Operating System	Windows 10	X		X		X			
	Windows Server 2016 / 2019		X		X		X	X	X
CPU	Intel Core i7 Kaby Lake	X		X		X			
	Server CPU Xeon E3 1275 V6 up		X		X		X	X	X
Microsoft SQL Server	SQL Server Express 2014/2019	X	X	X	X	X	X		
	SQL Server Standard 2014/2019							X	X
GPU	No GPU necessary as long as no G-SIM client is installed.								
Memory	16 GB								
Free hard disk space	80 GB								
Microsoft .Net Version	4.8								
Network Interface	1Gbit/s								
Hardware Generation	We recommend the usage of the current G-ST generation, nevertheless a Global system is only supported on G-ST hardware.								

Systems with increased system requirements use Windows Server OS with a corresponding system platform.

G-SIM Client Minimum Requirements

Memory	16 GB
Free hard disk space	8 GB (6 GB free)
CPU support	7. Generation Intel Core i5 (min. 2,4 GHz) or higher
GPU	Intel GPU Consider the CPU and graphics driver recommendations listed below
Operating system	Windows 10
Microsoft .Net Version	4.8
Network Interface	1Gbit/s

* These values are a recommendation if no other third party services are running on this hardware.

Influencing Factors and Recommendations

The following factors influence the system load and accordingly the system requirements. If your system meets one or more of these criteria, please contact Geutebrück GmbH to validate your system requirements.

Influencing factors	Recommendation
System with many G-Core Actions	Use of several agents.
System with multiple agents	Microsoft SQL Server Standard and Windows Server 2016 / 2019 operating system.
Use of Microsoft SQL Server Standard	Microsoft SQL Server Standard can use several CPU cores, so that the CPU load can be distributed over several cores. This must be considered when selecting the hardware
System with retriggered events, creation of new event instances	Increased system requirements
System with >5 alarms per minute or complex alarm configurations (viewer group alarms, database playback, metadata display, etc.)	Increased system requirements
System with >5 events per second or complex event display with database search	Increased system requirements
Parallel use of the process data search on several clients	Increased system requirements
Global System - Interconnection of several G-Sim installations	Increased system requirements
System running in a virtual environment	Increased system requirements
System with 3rd party services and applications	Increased system requirements

For maximum supported system sizes, please refer to the technical data and clarify these with Geutebrück GmbH before planning the system.

CPU and graphics driver recommendations

We recommend the following CPU and Intel graphics drivers. We cannot guarantee functionality and performance without using the recommended drivers. Any new version may cause performance and stability problems.

Product Collection	Code Name	Processor Number	Processor Graphics	Graphic Driver Version	Graphic Driver Version
10th Generation Intel® Core™ i3	Comet Lake	Core i3000 Serie Prozessor	Intel® UHD Graphics 630		27.20.100.9466 DHC (Win 10 21H1)
9. Generation Intel® Core™ i3, i5, i7, i9 Processors		Core i900 Serie Processor	Intel® UHD Graphics 630		27.20.100.9168 DHC (Win 10 1809)
		Core i9500 Serie Processor	Intel® UHD Graphics 630		27.20.100.9168 DHC (Win 10 1809)
		Core i9700 Serie Processor	Intel® UHD Graphics 630		27.20.100.9168 DHC (Win 10 1809)
		Core i9900K Serie Processor	Intel® UHD Graphics 630		27.20.100.9168 DHC (Win 10 1809)
		Xeon E-2244G Processor	Intel® UHD Graphics P630		27.20.100.9168 DHC (Win Serv 2019 1809)
8. Generation Intel® Core™ i3, i5, i7 Processors	Coffee Lake	Core i8000 Serie Processor	Intel® UHD Graphics 630		25.20.100.6519 DHC (Win 10 1809)
7th Generation Intel® Core™ i3, i5, i7 Processors	Kaby Lake	Core i3- 7100TE Processor 3.9Ghz Core i5- 7500 Processor 3.4Ghz Core i7- 7700 Processor 3.6Ghz	Intel® HD Graphics 630	21.20.16.4678 (Win 10 1607)	26.20.100.7263 (Win 10 1809, Legacy) 26.20.100.7584 (Win 10 1809, DCH)
6th generation Intel® Core™ i3, i5, i7 Processors	Skylake	Core i3- 6100TE Processor 2.7Ghz Core i5- 6500 Processor 3.2Ghz Core i7- 6700 Processor 3.4Ghz	Intel® HD Graphics 530	21.20.16.4639 (Win 8.1)	
4th generation Intel® Core™ i3, i5, i7 Processors	Haswell	Core i3-4330 Processor 3.5Ghz Core i5-4570S Processor 2.9Ghz Core i7-4770S Processor 3.1GHz	Intel® HD Graphics 4600	15.36.28.4332 (Win 8.1)	20.19.15.4377 (Win 10 1607)
Intel® Xeon® Processors E3 v6 Familie	Kaby Lake	Intel XEON E31275V6	Intel® HD Graphics P630	21.20.16.4678 (Win Serv 2016)	
Intel® Celeron® Processors J Serie	Gemini Lake	Intel Celeron J4105 2.5 Ghz	Intel® UHD Graphics 600	25.20.100.6582 (Win 10 1607)	

G-Core / G-SIM Matrix – Version Recommendation

G-SIM						
G-Core	Version	8.5.2	8.8.1	9.3.0	9.4.0	10.0.0
	4.0.2	X	X			
	5.0.0		X	X		
	6.0.0			X	X	
	6.1.0				X	X

We recommend the version pairs marked with a green „X“ for:

- Optimal compatibility between G-Core and G-SIM
- Mutual support of new features, improvements and performance

Bugfix releases are enclosed in the respective version pair (e.g. 9.4.1 in 9.4.0)

Red marked version pairs are generally possible but did not fully provide the compatibility between the separate software parts!

These drivers may not be part of the G-SIM installer. Please refer to the Geutebrück Knowledge Base for an up-to-date list:

<https://support.geutebrueck.com/de/search/detail/intel-gpu-driver-recommendation.html>

Contact information

If you have any questions about the specific requirements of your system, you can contact Geutebrück GmbH:

Geutebrück GmbH

Department Presales Call: +49 2645 1370

E-Mail: info@geutebrueck.com

Technical alterations reserved.

GEUTEBRÜCK GmbH

Im Nassen 7-9 | D-53578 Windhagen | Tel. +49 (0)2645 137-0 | Fax-999 | E-mail: info@geutebrueck.com | Web: www.geutebrueck.com